			A PARENTA	
	200		Y <sup>1</sup> D soled y <sub>1</sub> D soled team pur U	
m			depit gries	

111	ager .
	The state of the s
	THALAS

Reg. No.:....

Name:.....

K16U 2251

III Semester B.Sc. Degree (CCSS-Supple./Improve.)

Examination, November 2016

COMPLEMENTARY COURSE IN MATHEMATICS

3C 03 MAT: Differential Equations, Laplace Transforms,
Fourier Series and Partial Differential Equations

(2013 and Earlier Admissions)

Time: 3 Hours	Max. Weightage: 30
1. Fill in the blanks:	

- a) Laplace transform of f(t) = 1 is \_\_\_\_\_
- b) Laplace transform of f(t) = sin 2t is \_\_\_\_\_
- c) Inverse Laplace transform of  $\frac{1}{s+a}$  is \_\_\_\_\_
- d) Inverse Laplace transform of  $\frac{1}{s^3}$  is \_\_\_\_\_ (Weightage: 1

Answer any six from the following. (Weightage 1 each).

- 2. What do you mean by a first order linear differential equation? Give an example.
- 3. Solve the differential equation  $9y \frac{dy}{dx} + 4x = 0$ .
- 4. Solve  $(x^3 + 3xy^2) dx + (3x^2y + y^3) dy = 0$ .
- 5. Find Laplace transform of cos<sup>3</sup>2t.

## K16U 2251



- 6. Find inverse Laplace transform of  $\frac{2s+5}{s^2+4s-5}$
- 7. What do you mean by an even function? Give an example.
- 8. Write Euler's formula for Fourier series expansion of functions with period  $2\pi$ .
- Show that u = cos 4t sin 2x is a solution to the one dimensional wave equation with suitable c.
- 10. Solve the partial differential equation  $u_{xx} u = 0$ .

(Weightage 6x1=6)

Answer any seven from the following. (Weightage 2 each).

- 11. Solve the initial value problem y'' + y' 2y = 0, y(0) = 4, y'(0) = -5.
- 12. Solve  $x^3y''' + 3x^2y'' + xy' + y = 0$ .
- 13. Prove that the family of parabolas  $x^2 = 4a(y + a)$  is self orthogonal.
- 14. Define unit step function. Also find its Laplace transform.
- 15. Find the Laplace transform of periodic function of period T, defined by  $f(t) = \frac{kt}{T}, \ 0 < t < T.$
- 16. Using convolution theorem, find inverse Laplace transform of  $\frac{s}{(s^2 + a^2)^2}$ .
- 17. Obtain the Fourier series expansion of f(x) = |x| in the interval  $(-\pi, \pi)$ .
- 18. Obtain the half range Fourier cosine series expansion of  $f(x) = x^2$  in  $0 < x < \pi$ .
- 19. Using separation of variables, solve  $u_{xx} + u_{yy} = 0$ .
- Find the temperature in a laterally insulated bar of length L whose ends are kept at temperature 0, assuming that the initial temperature is

$$f(x) = \begin{cases} x & \text{if } 0 < x < \frac{L}{2} \\ L - x & \text{if } \frac{L}{2} < x < L \end{cases}$$

(Weightage 7×2=14)

-3- K16U 2251

Answer any three from the following. (Weightage 3 each).

21. Solve 
$$\frac{d^2y}{dx^2} - 4\frac{dy}{dx} + 3y = \sin 3x + x^2$$

- 22. Using method of variation of parameters, solve  $y'' + 4y = \sec 2x$ .
- 23. Using Laplace transform, solve the initial value problem

$$\frac{d^2y}{dt^2} + 2\frac{dy}{dt} + 5y = e^{-t} \sin t, \ y(0) = 0, \ y'(0) = 1.$$

24. Obtain the Fourier series expansion of

$$f(x) = \begin{cases} x & \text{if} \quad 0 < x < \pi \\ \pi - x & \text{if} \quad \pi < x < 2\pi \end{cases} \text{ and } f(x + 2\pi) = f(x).$$

25. Derive D'Alembert's solution to one dimensional wave equation.

(Weightage 3x3=9)