

INDEX

Numbers in **boldface** type indicate pages on which illustrations appear

A

- Abietaceae, 340
- Acetabularia*, **57**
- Achlya*, 113, 114
- Acorus*, vascular bundle, **372**
- Acrasieae, 107
- Actaea*, root, **366**
- Actinostele, 220
- Adiantum*, leaflet, **285**
- Adoxa*, embryo sac, **388**, 389
- Acciospore, **144**
- Aecium, **144**
- Aethalium, 105
- Agapanthus*, embryo, 396
- Agaricaceae, 149
- Agaricus*, **148**, 149
- Air chamber, **162**, **163**
- Air pore, **162**, **163**
- Akinete, **12**, 19
- Albugo*, 114, **115**
- Algae, 7
 - alternation of generations, 98
 - asexual reproduction, 96
 - blue-green, 8
 - brown, 66
 - classes, 7
 - comparison, 93
 - evolutionary tendencies, 415
 - general conclusions, 94
 - golden-brown, 16, 17
 - green, 25
 - interrelationships, 98
 - multicellular bodies, 95
 - red, 85
 - sexual reproduction, 96
 - yellow-green, 18
- Allium*, embryo sac, 387, **388**
 - root tip, **365**
- Alternation of generations, 42, 422
- Algae, 98
- Bryophyta, 160
- Cladophora*, 55
- Cutleria*, 70
- Dictyota*, 72
- Ectocarpus*, 68

- Alternation of generations, heteromorphic, 70
 - isomorphic, 42
- Laminaria*, 76
- origin, 423
- Polysiphonia*, 92
- Pteridophyta, 209
- Ulva*, 42
- Amanita*, 149
- Amphigastrum, 183, **184**
- Amphibleura*, **22**
- Amphithecium, **169**, 171, 181, 189, 196, 202
- Anabaena*, **10**, **12**
- Andreaea*, **198**
- Andreaceales, 197
 - gametophyte, 197
 - sex organs, 197
 - sporophyte, 197
 - summary, 198
- Androspore, 47
- Anemia*, sporangium, **287**
- Anemone*, development of embryo sac, **385**, **386**
 - megasporogenesis, **385**
 - ovule, **385**, **386**
- Angiopteris*, **271**
 - antheridium, **274**
 - archegonium, **275**
 - leaflet, **272**
 - sporangium, **272**
- Angiospermae, 362
 - apomixis, 397
 - chief orders, 399
 - embryo, 394
 - endosperm, 393
 - female gametophyte, 384
 - fertilization, 391
 - flower, 372
 - male gametophyte, 389
 - subclasses, 362
 - summary, 409
 - vegetative organs, 363
- Annulus*, *Agaricus*, **148**
 - fern sporangium, **284**, **286**, **287**
 - moss capsule, 204

- Anther, 378
Iochroma, 380
Lilium, 379
Trillium, 373
Antheridium, *Albugo*, 115
Angiopteris, 274
Anthoceros, 188
Azolla, 303
Batrachospermum, 90
Botrychium, 268, 269
Bryales, 201
Bryophyta, 160
Chara, 65, 66
Claviceps, 135
Coleochaete, 43
Cutleria, 71
Dictyota, 74
Equisetum, 256
Filicales, 289
Fucus, 82, 83
Isoetes, 245
Laminaria, 77
Lycopodium, 226, 228
Marchantia, 165, 167
Marsilea, 297
Mnium, 201
Monblepharis, 111
Nemalion, 88
Nephrolepis, 290
Oedogonium, 47
Ophioglossum, 268, 269
Peltia, 180
Perisporiales, 128
Polysiphonia, 91
Porella, 184
Porphyra, 86
Psilotum, 216
Pyronema, 130
Saprolegnia, 113
Selaginella, 236
Sphaerocarpus, 175
Sphaeroplea, 56
Sphaerotheca, 129
Sphagnum, 193
Vaucheria, 58, 59
Zonaria, 75
Anthoceros, 187
antheridium, 188
archegonium, 188
embryo, 189
gametophyte, 187
plan of, 207
sporophyte, 187, 190
Anthoceratales, 186
gametophyte, 186
sex organs, 187
sporophyte, 189
Anthoceratales, summary, 190
Antibiotics, 125
Antipodal cell, 386, 390
Apical cell, Anthoceratales, 187
Bryales, 199
Chara, 64
Dictyota, 73
Equisetum, 252
Filicales, 278
Fossombronia, 178
Fucus, 18
Jungermanniales, acrogynae, 183
anacrogynae, 178
Marchantiales, 162
Ophioglossales, 263
Porella, 184
Psilotales, 215
Pteris, 279
Reboulia, 162
Selaginella, 231
Sphacelaria, 70
Sphaerocarpales, 174
Sphagnales, 194
Aplanospore, 19
Apogamy, 398
Apomixis, 397
Apophysis, 203, 204
Apothecium, 130
Helvella, 133
Morchella, 133
Peziza, 132
Physcia, 156
Sclerotinia, 133
Apple scab, 137
Arales, 407
Araucariaceae, 340
Archaeocalamites, 258, 259
Archegoniatae, 2
Archegonium, *Angiopteris*, 275
Anthoceros, 188
Azolla, 303
Bryales, 201
Bryophyta, 161
Dioon, 327
Dryopteris, 291
Ephedra, 359
Equisetum, 256
Filicales, 289
Ginkgo, 338
Isoetes, 246
Lycopodium, 226, 227, 229
Marchantia, 166, 168
Marsilea, 298
Mnium, 202
Ophioglossum, 269
Peltia, 181
Pinus, 347

- A**
- Archegonium, *Porella*, 184
 - Psilotum*, 216
 - Selaginella*, 237
 - Sphaerocarpus*, 176
 - Sphagnum*, 195
 - Zamia*, 326
 - Archichlamydeae, 362, 399
 - Arcyria*, 105
 - Aristolochiales, 400
 - Armillaria*, 150
 - Ascocarp, 121
 - Aspergillus*, 126
 - Claviceps*, 136
 - Helvella*, 133
 - Microsphaera*, 128
 - Morchella*, 133
 - Nectria*, 135
 - Peziza*, 132
 - Physcia*, 156
 - Plowrightia*, 138
 - Pyronema*, 130
 - Sclerotinia*, 133
 - Tuber*, 134
 - Venturia*, 138
 - Xylaria*, 138
 - Ascogonium, *Claviceps*, 135
 - Laboulbeniales, 140
 - Lichenes, 155
 - Neurospora*, 139
 - Pyronema*, 130
 - Sphaerotheca*, 129
 - Venturia*, 138
 - Ascogynous hyphae, *Claviceps*, 136
 - Lichenes, 155
 - Plectascales, 126
 - Pyronema*, 130
 - Venturia*, 137
 - Ascomycetes, orders, 121
 - summary, 157
 - Ascospore, 121
 - Aspergillus*, 126
 - Claviceps*, 135
 - Microsphaera*, 128
 - Neurospora*, 139
 - Peziza*, 132
 - Pyronema*, 130
 - Schizosaccharomyces*, 123
 - Taphrina*, 124
 - Venturia*, 138
 - Xylaria*, 139
 - Ascus, 121
 - Aspergillus*, 126
 - Claviceps*, 136
 - Microsphaera*, 128
 - Nectria*, 135
 - origin, 130, 131
 - Peziza*, 132
 - Physcia*, 156
 - Plowrightia*, 138
 - Pyronema*, 130
 - Sphaerotheca*, 129
 - Taphrina*, 124
 - Venturia*, 138
 - Xylaria*, 139
 - Ascus, *Physcia*, 156
 - Plowrightia*, 138
 - Pyronema*, 130
 - Sphaerotheca*, 129
 - Taphrina*, 124
 - Venturia*, 138
 - Xylaria*, 139
 - Aspergillus*, 125, 126
 - Asterella*, 163, 165, 166, 168, 169
 - Asteroxylon*, 212, 213
 - Aulocadiscus*, 22
 - Auricularia*, 146
 - Auriculariales, 146
 - Autotrophic, definition, 7, 103
 - Auxospore, 24
 - Azolla*, 299
 - antheridium, 303
 - gametophytes, 303
 - massula, 303
 - sporangia, 301
 - sporocarps, 301
 - Azotobacter*, 102
- B**
- Bacillariophyceae, 21, 22
 - cell structure, 23
 - orders, 23
 - reproduction, 24
 - summary, 94
 - Bacillus*, 101
 - Bacteria, 100
 - aerobic, 102
 - anaerobic, 102
 - autotrophic, 103
 - denitrifying, 103
 - nitrifying, 103
 - nitrogen-fixing, 102
 - Basidiocarp, 140
 - Agaricus*, 148
 - Auriculariales, 146
 - Clavaria*, 147
 - Gasteromycetales, 151
 - Hymenomycetales, 147
 - Phallus*, 162
 - Tremellales, 146
 - Basidiomycetes, orders, 140
 - summary, 157
 - Basidiospore, 140
 - Coprinus*, 149
 - Gasteromycetales, 151
 - Hymenomycetales, 147
 - Puccinia*, 144
 - Ustilago*, 141
 - Basidium, 140
 - Auriculariales, 146
 - Coprinus*, 149

- Basidium, development, 150**
Exobasidiales, 147
Gasteromycetales, 151
Hymenomycetales, 147
Puccinia, 144
Tremellales, 146
Ustilago, 141
- Batrachospermum, 89, 90***
- Begonioa, 101, 103***
- Bennettiales, 315**
 sporophyte, 315
 strobilus, 316
 summary, 318
- Black knot, 136, 137**
- Botrychium, 262, 263***
 antheridium, 268, 269
 archegonium, 268, 269
 embryo, 269
 gametophyte, 268
 petiole, 266
 rhizome, 265
 root, 264
- Botrydium, 19, 20***
- Branch trace, 212, 222**
- Bread mold, 117**
- Bryales, 198**
 gametophyte, 199
 sex organs, 200
 sporophyte, 201
 summary, 204
- Bryophyta, classes, 160**
 comparison, 205
 evolutionary tendencies, 416
 gametophyte, 206
 general conclusions, 205
 sporophyte, 206
- Bryopsis, 60***
- Budding, 122**
- Bulbochaete, 48***
- C**
- Calamitales, cones, 258**
- Calamites, 257***
- Calamophyton, 248***
- Calyptra, 161, 168, 171, 172, 290, 292**
- Calyptrogen, 364, 365**
- Calyx, 373**
- Campanulales, 406**
- Capillitium, 105, 106, 152**
- Capsella, development of embryo, 394, 395***
 floral development, 377
- Capsule, 161, 169, 170, 172, 177, 182, 186, 194, 203, 204**
- Carboniferous swamp forest, 239, 257, 312**
- Carinal canal, 252, 253**
- Carotin, 19**
- Carpel, 309, 381**
- Carpogonium, 87**
Batrachospermum, 90
Nemalion, 88
Polysiphonia, 92
Porphyra, 86
- Carpospore, 87**
Batrachospermum, 90
Nemalion, 88
Polysiphonia, 91
Porphyra, 86
- Caulerpa, 60, 61***
- Cell division, *Anabaena, 10***
Oedogonium, 43, 44
Surirella, 24
- Centrospermales, 400**
- Ceratium, 18***
- Chaetophora, 39***
- Chalaza, 383**
- Chamaesiphon, 12***
- Chara, 64, 65, 66***
- Charophyceae, 63**
 reproduction, 64
 summary, 66, 94
 vegetative body, 63
- Chlamydomonas, 26, 27***
- Chlamydospore, 141**
- Chlorella, 32***
- Chlorochromonas, 19***
- Chlorococcales, 32**
 summary, 38
- Chlorococcum, 32, 33***
- Chlorophyceae, 25**
 orders, 26
 summary, 61, 94
- Chromulina, 16, 17***
- Chroococcus, 9***
- Chrysamoeba, 16, 17***
- Chrysophyceae, 16, 17**
 summary, 93
- Chytridiales, 108**
 summary, 111
- Chytridium, 108, 109***
- Cilium, 14**
- Cladophora, 54, 55***
- Cladothrix, 101***
- Classification, Embryophyta, 2-4**
 plants, 1
Thallophyta, 2, 3
- Clavaria, 147***
- Clavariaceae, 147**
- Claviceps, 135, 136***
- Cleistothecium, Aspergillus, 126***
Microsphaera, 128
- Closterium, 48, 49***
- Clostridium, 102***

- Cocconeis*, **25**
Codium, **69**
Codonotheca, **313**
Coelosphaerium, **9**
Coenocyte, **20**, **34**, **36**, **54**, **57**
Coenopteridales, **260**
Colarium, **15**
Coleochaete, **12**, **43**, **44**
Coleus, stem tip, **368**
Columella, *Anthoceros*, **189**
 Funaria, **203**
 Rhizopus, **117**, **118**, **119**
 Sphagnum, **196**
Conceptacle, **82**
Conducting tissues, **369**
Cone (*see Strobilus*)
Conidiophore, **125**
 Aspergillus, **125**, **126**
 Claviceps, **135**
 Erysiphe, **127**
 Nectria, **135**
 Penicillium, **125**, **126**
 Plowrightia, **136**
 Sclerotinia, **132**
 Venturia, **137**, **138**
 Xylaria, **139**
Conidium, **124**, **125**
 Aspergillus, **125**
 Claviceps, **135**
 Erysiphe, **127**
 Nectria, **135**
 Neurospora, **139**
 Penicillium, **125**
 Plowrightia, **136**
 Sclerotinia, **132**
 Taphrina, **124**
 Venturia, **138**
 Xylaria, **139**
Coniferales, **340**
 embryo, **349**
 families, **340**
 female gametophyte, **346**
 male gametophyte, **318**
 ovulate strobilus, **345**
 sporophyte, **342**
 staminate strobilus, **345**
 summary, **353**
Conjugales, **48**
 summary, **54**
Conjugation, **27**
 Closterium, **49**
 Cocceneis, **25**
 Mougeotia, **50**
 Rhizopus, **118**
 Schizosaccharomyces, **123**
 Spirogyra, **51**, **53**
 Zygnema, **54**
- Conocephalum*, **163**, **165**, **166**, **169**
Contractile vacuole, **15**
Coprinus, **149**
Cordaianthus, **333**
Cordaitales, **330**
 gametophytes, **332**
 sporophyte, **330**
 strobili, **331**
 summary, **333**
Cordaites, **332**
Cormophyta, **2**
Corn smut, **141**
Corolla, **373**
Corpus, **367**
Cortex, **211**
Cosmarium, **50**
Cotyledon, **327**, **353**
Craterum, **105**
Crossotheca, **313**
Cryptogam, **1**
Cryptogamia, **1**
Cryptomitrium, embryo, **170**
Cryptoplyceae, **17**
Cupressaceae, **310**
Cupressus, **343**
Cutteria, **70**, **71**
Cuttleriales, **70**
 summary, **72**
Cyanophyceae, **8**
 branching, **12**
 cell structure, **10**
 distribution and habitat, **8**
 false branching, **13**
 orders, **8**
 plant body, **9**
 reproduction, **11**
 resting spores, **12**
 simple colonial, **9**
 summary, **13**, **93**
Cyanophycin, **10**
Cyatheaceae, **277**
Cycadales, **319**
 embryo, **326**
 female gametophyte, **323**
 male gametophyte, **325**
 ovulate strobilus, **323**
 sporophyte, **319**
 staminate strobilus, **321**
 summary, **328**
Cycadeoidea, stem, **315**
 strobilus, **316**–**318**
Cycadofliales, **311**, **312**
 gametophytes, **313**
 megasporangium, **311**
 microsporangium, **311**, **313**
 sporophyte, **311**
 summary, **314**

- Cycas*, female cone, **322**
 megasporophylls, **325**
 microsporophylls, **323**
 vernation, **320**
- Cyrtomium*, sporangium, **288**
- Cyst*, 15, 16, 57
- Cystocarp*, 88
 Nemalion, **88**
 Polysiphonia, **91**
- D**
- Danaea*, **272**, 274
- Dendroceros*, 186, 187, 190
- Dennstaedtia*, stele, **281**
- Dermatogen*, 364, **365**, 391, **395**
- Dermocarpa*, **12**
- Desmids, 48, **49**, **50**
- Diachea*, **105**
- Dianthus*, pistil, **382**
- Diatoms (*see* Bacillariophyceae)
- Dicksonia*, **277**
- Dicksoniaceae, 277
- Dicotyledoneac, 362, 399
- Dictyosteles*, 211, 283
- Dictyostelium*, **107**
- Dictyota*, 72, **73**, **74**
- Dictyotales*, 72
 summary, 76
- Didymium*, **104**
- Dinobryon*, 16, **17**
- Dinocladium*, 18
- Dinoflagellate, **18**
- Dinophyceae, 18
 summary, 93
- Dinothrix*, 18
- Dioecious, 30
- Dioon*, **319**
 archegonium, **327**
 male gametophyte, **328**
 ovule, **329**
- Docidium*, **50**
- Dorycordaites*, **331**
- Dothideales, 139
- Draparnaldia*, 39, **40**
- Dryopteris*, archegonium, **291**
 leaflet, **285**
 sperm, **290**
- E**
- Ebenales, 404
- Ectocarpales, 67
 summary, 68
- Ectocarpus*, **67**
- Egg, 29
 Anemone, **386**
 Angiopteris, **275**
- Egg, *Anthoceros*, **188**
- Chara*, **66**
- Coleochaete*, **43**, **44**
- Cutleria*, **71**
- Dictyota*, **74**
- Dioon*, **329**
- Dryopteris*, **291**
- Equisetum*, **256**
- Eudorina*, **30**
- Fritillaria*, **390**, **392**
- Fucus*, **83**
- Isoetes*, **246**
- Laminaria*, **77**
- Lycopodium*, **229**
- Marchantia*, **168**
- Marsilea*, **298**
- Mnium*, **202**
- Monoblepharis*, **111**
- Oedogonium*, **47**
- Ophioglossum*, **269**
- Pellia*, **181**
- Pinus*, **347**, **350**
- Porella*, **184**
- Saprolegnia*, **113**
- Sphaerocarpus*, **176**
- Sphaeroplea*, **56**
- Sphagnum*, **195**
- Vaucheria*, **58**
- Volvox*, **31**
- Egregia*, **79**
- Elater, 171, **172**, 190
- Elaterophore, 181, **182**
- Embryo, Angiospermae, 394
 Anthoceros, **189**
 Botrychium, **269**
 Capsella, **395**
 Coniferales, **349**
 Cryptomeria, **170**
 Cycadales, 326
 Equisetales, 256
 Filicales, 290
 Fossombronia, **182**
 Funaria, **203**
 Ginkgo, **339**
 Ginkgoales, 339
 Gnetales, 360
 Hydropteridales, 297, 302
 Isoetales, 247
 Isoetes, **246**
 Lycopodiales, 229
 Lycopodium, **227**, **230**
 Marattiiales, 274
 Marchantia, **166**, **171**
 Marsilea, **298**
 Megaceras, **189**
 Ophioglossales, 269
 Pinus, **351**, **353**

Embryo, Polypodiaceae, 292
Psilotales, 217
Riccia, 169
Sagittaria, 397
Selaginella, 238
Selaginellales, 237
Sphagnum, 196
Zamia, 330
Embryo sac, 384
Anemone, 385, 386
Frutillaria, 390
 ordinary type, 388
 variation in development, 386, 388
Embryophyta, 2
 classification, 2-4
Empusa, 120, 121
Endarch, 210
Endodermis, 211
Endosperm, 327, 353, 393
Endospore, 12, 102
Endothecium, 169, 171, 181, 189, 196, 202, 379, 380, 381
Entomophthorales, 120
Ephedra, 354, 355
 archegonium, 359
 female gametophyte, 359
 male gametophyte, 360
 ovule, 359
 proembryo, 361
 strobili, 355
Epidermis, 211
Epigyny, 375, 376
Equisetales, 250
 gametophyte, 254
 sporangium, 253
 sporophyte, 250
 summary, 256
 vascular anatomy, 252
Equisetinae, orders, 247
 summary, 304
Equisetum, 250, 251
 embryo, 256
 gametophyte, 256
 sporangium, 254, 255
 stem structure, 253
Ergot, 135
Ergotine, 135
Ericales, 404
Erigeron, floral development, 378
Erysiphe, 127
Elaptritis, 261
Eudorina, 28, 29
Euglena, 14
Euglenophyceae, cell structure, 14
 relationships, 15
 reproduction, 15
 summary, 16, 93

Eusporangiatae, 226
Evolution, plant kingdom, 412
 sex, 417
 organs, 419
Evolutionary tendencies, algae, 415
 bryophytes, 416
 prominent, 415
 pteridophytes, 416
 spermatophytes, 417
Exarch, 210
Exobasidiiales, 146
Exobasidium, 146
Eyespot, 14, 26, 27, 39

F

Fagales, 399
Families, Coniferales, 340
Filicales, 276
Gasteromycetales, 151
Hymenomycetales, 147
Farinales, 407
Fertile spike, 265
Fertilization, 30
 Angiospermatae, 391
Frutillaria, 392
Pinus, 350
Fiber, 210, 369
Filicales, embryo, 290
 families, 276
 gametophyte, 287
 sorus, 284
 sporangium, 286
 sporophyte, 278
 summary, 291
 vascular anatomy, 278
Filicinae, orders, 260
 summary, 304
Fission, 11
Flagellates, 14
Flagellum, 14
Floral development, 376
Capsella, 377
Erigeron, 378
Ranunculus, 377
Flower, 372, 410
 actinomorphic, 374
 apetalous, 373
 apocarpous, 375, 381
 carpel, 381
 choripetalous, 375
 establishment of whorls and definite numbers, 374
 hypogyny, perigyny, and epigyny, 375
Magnolia, 374
 naked, 374
 ovule, 383

Flower, pentacyclic, 375
 perianth, 373
 stamen, 378
 sympetalous, 375
 syncarpous, 375, 381
 tetracyclic, 375
Trillium, **373**
 zonal development, 375
 zygomorphic, 374
Foot, 161, 169, **171, 172, 230, 238, 246, 282**
Fossombronia, apical cell, **178**
 embryo, **182**
Fritillaria, embryo sac, **388, 389, 390**
 endosperm, **393**
 fertilization, **392**
 Frond, 278
 Fruit, 398
 Fucales, 80
 summary, 84
 Fucoxanthin, 66
Fucus, 80, **81-83**
Fuligo, **105**
Funaria, **200, 203**
 Fungi, 100
 alga-like, 108
 bird's-nest, 152
 classes, 100
 comparison, 156
 club, 140
 coral, 147
 ear, 146
 gametic reproduction, 158
 general conclusions, 157
 gill, 149
Imperfecti, 153
 pore, 147
 sac, 121
 spore reproduction, 158
 stinkhorn, **152**
 tooth, 147
 trembling, 146
 vegetative body, 157
 Funiculus, 383

G

Gametangium, *Bryopsis*, 60
Codium, 59
Ectocarpus, **67**
Pylaiella, **68**
 Gametes, 27
 differentiation, 418
 Gametophore, 199
 Gametophyte, 42
Andreaea, **198**
Andreaeales, 197

Gametophyte, *Anthoceros*, **187**
Anthocerotales, 186
Botrychium, **268**
 Bryales, 199
 Bryophyta, 206
Culleria, 71
 Cycadofilicales, 313
 Equisetales, 254
Equisetum, **256**
 female, Angiospermae, 384
Azolla, **303**
 Coniferales, 346
 Cordaitales, 332
 Cycadales, 323
Ephedra, **359**
 Ginkgoales, 338
 Gnetales, 356
Isoetes, **246**
Marsilea, **298**
Pinus, **347**
Selaginella, **237**
Zama, **326**
 Filicales, 287
 Isoetales, 245
 Jungermanniales, acrogynae, **183**
 anaerogynae, 178
Lammaria, 77
 Lycopodiales, 226
Lycopodium, **226, 227**
 male, Angiospermae, 389
Azolla, **303**
 Coniferales, 346
 Cordaitales, 332
 Cycadales, 323
Dioon, **328**
Ephedra, **360**
 Ginkgoales, 338
 Gnetales, 356
Isoetes, **245**
Marsilea, **297**
Pinus, **348**
Selaginella, **236**
 Marattiiales, 273
Marchantia, **164**
 Marchantiales, 162
 Marsileaceae, 296
 Ophioglossales, 267
Ophioglossum, **268**
Pallavicina, **179**
Pellia, **179**
 Polypodiaceae, **289**
Porella, **184**
 Psilotales, **216, 217**
Psilotum, **216**
 Pteridophyta, 306
Riccia, **162**
 Salviniaceae, 301

Gametophyte, Selaginellales, 234
Sphaerocarpales, 173
Sphaerocarpus, 174
Sphagnales, 192
Sphagnum, 193, 194
Symphyogyna, 179
Gap, 212
Gasteromycetales, families, 151
Gemma, 164, 179, 183, 199
Gentianales, 405
Geologic eras, 5, 6
Geologic periods, later, 6, 310
Geologic time, division, 5, 6
Geothallus, 173, 174
Ceranaiales, 402
Gill, 148, 149
Ginkgo, 333, 334
 archegonium, 338
 embryo, 339
 leaf blade, 335
 megaspores, 337
 ovulate strobili, 337
 ovule, 337
 staminate strobili, 336
 stem, 335
Ginkgoales, 333
 embryo, 339
 female gametophyte, 338
 male gametophyte, 339
 ovulate strobilus, 337
 sporophyte, 334
 staminate strobilus, 336
 summary, 340
Girdle, 21
Gleba, 151
Gleichenia, 276
 sporangium, 287
 stele, 280
Gleicheniaceae, 277
Glochidium, 310, 303
Glococapsa, 9
Gloccinium, 18
Gloeostrichia, 12
Glumales, 407
Glycogen, 10
Gnetales, 354
 embryo, 360
 female gametophyte, 356
 male gametophyte, 358
 ovulate strobilus, 356
 sporophyte, 354
 staminate strobilus, 355
 summary, 360
Gnetum, 354
 strobili, 367
Gonimoblast, 88, 90
Gonium, 29

Gullet, 15
Gymnospermae, 301
 geologic distribution, 310
 orders, 311
 summary, 409

II

Haematochrome, 28
Haplostele, 220
Haustorium, *Albugo*, 115
Erysiphe, 127
Rhizopus, 118
Helminthostachys, 262, 264–267, 269, 270
Helobiales, 406
Helvella, 133, 134
Helvellales, 133
Hemitrichia, 105
Hepaticae orders, 161
 summary, 205
Heterocyst, 11, 12
Heterogamy, 30
Heterospory, 209, 233, 306
Heterothallie, 120
Heterotrophic, 7, 100
Histogen, 364, 365
Homologous structures, 414
Homospory, 161, 209
Homothallie, 120
Hormogonium, 11
Hornea, 214
Horsetails, 250
Hydnaceae, 147
Hydrodictyon, 31, 36
Hydropteridales, families, 292
 summary, 302
 (*See also* Marsileaceae; Salviniaceae)
Hydrurus, 16, 17
Hyenia, 248
Hyeniales, 247
Hymenium, 124
Agaricaceae, 149
Auriculariales, 146
Claviceps, 135
Gasteromycetales, 151
Hymenomycetales, 147
Peziza, 132
Physcia, 156
Plowrightia, 136
Pyronema, 130
Taphrina, 124
Tremellales, 146
Xylaria, 139
Hymenogastraceae, 151
Hymenomycetales, families, 147
Hymenophyllaceae, 277
Hymenophyllum, sporangium, 287

- Hypha**, 108
Hypocotyl, 327, **363**
Hypocreales, 139
Hypogyny, 375, **376**
Hypophysis, **395**
- I**
- Indusium**, 284, **285**, **295**, **301**
 false, **286**
Integument, 312, 323, **326**, **347**, **359**, **386**
Interrelationships, **Algae**, 98
 Pteridophyta, 307
 Spermatophyta, 410
Lochroma, microsporangium, **380**
Isoetales, 241
 embryo, 247
 gametophytes, 245
 sporangia, 243
 sporophyte, 241
 summary, 248
 vascular anatomy, 242
Isoetes, **241**
 embryo, **246**
 female gametophyte, **246**
 male gametophyte, **245**
 megasporangium, **244**
 microsporangium, **244**, **245**
 sporangia, **244**
 stele, **243**
 stem tip, **242**
Isogamete, 27
Acetabularia, 57
Caulerpa, 61
Chlamydomonas, **27**
Chlorococcum, 32
Cladophora, 55
Desmids, 49
Ectocarpus, 67
Gonium, 26
Hydrodictyon, **36**
Olpidium, 109
Pandorina, **29**
Pediastrum, **36**
Plasmidiophora, 112
Protosiphon, **37**
Rhizopus, **118**
Spirogyra, **51**
Synchytrium, 111
Ulothrix, **38**
Ulva, 41
Zygnema, 54
Isogamy, 27
Isthmia, **22**
- J**
- Juglandales**, 399
Jungermanniales, 177
- Jungermanniales**, *Aerogynae*, **183**
 gametophyte, 183
 sex organs, 184
 sporophyte, 185
Anacrogynae, 177
 gametophyte, **178**, **179**
 sex organs, 179
 sporophyte, 180
 summary, 185
- K**
- Kelps**, 76
 other, 79
- L**
- Laboulbeniales**, 140
Labyrinthulace, 108
Laminaria, **76**, **77**
Laminariales, 76
 summary, 79
Land habit, establishment, 206
Leaf, gap, 212, 260
 structure, angiosperms, **363**
 Pinus, **343**
 trace, 212, 222
Lepidodendrales, 238
Lepidodendron, **240**
Lepidostrobus, **239**
Leptosporangiatae, 286
Leucosin, 16
Lichenes, 153, **154**, **155**, **156**
 crustose, 153, **154**
 foliose, 153, **154**
 fruticose, 153, **154**
Life cycles, types, 422
Ligule, *Isoetes*, **242**, **244**
Selaginella, 231, 233, **234**, **238**
Liliales, 408
Lilium, anther, **379**
 pollen grain, **391**
Liverworts, 161
Lunularia, 164
Lycogala, **105**
Lycopercaceae, 152
Lycopodiales, 218
 embryo, 229
 gametophyte, 226–
 sporangium, 223
 sporophyte, 219
 summary, 229
 vascular anatomy, 220
Lycopodiinae, orders, 218
 summary, 304
Lycopodium, **218**, **223**, **224**
 antheridium, **228**

- Lycopodium*, archegonium, 229
 embryo, 230
 gametophyte, 226, 227
 sporangium, 225
 stele, 221, 222
 stem tip, 219
- Lycopsida*, 3, 4, 218
- Lyginopteris*, 312-314
- Lyngbya*, 11
- M**
- Macrocytis*, 78
- Macrozamia*, megasporophyll, 325
- Magnolia*, flower, 374
 stem, 370
- Malvales*, 403
- Marattia*, leaflet, 272
 root, 271
- Marattiaceae*, 270
 embryo, 274
 gametophyte, 273
 sporangium, 272
 sporophyte, 270
 summary, 274
 vascular anatomy, 270
- Marchantia*, air chamber, 163
 air pore, 163
 antheridium, 165, 167
 archegonium, 166, 168
 cupule, 164
 embryo, 166, 171
 female receptacle, 166
 gemma, 164
 male and female plants, 164
 male receptacle, 165
 sperm, 166
 sporophyte, 172
 thallus, 163
- Marchantiaceae*, 161
 gametophyte, 162
 sex organs, 164
 sporophyte, 168
 summary, 172
- Marsilea*, 293
 female gametophyte, 298
 male gametophyte, 297
 rhizome, 294
 sporangia, 295
 sporocarp, 296
- Marsileaceae*, 293
 embryo, 297
 gametophytes, 296
 sporocarp, 294
 sporophyte, 293
- Massula*, 301, 303
- Megaceros*, 189, 190
- Megasporangium*, 233
Anemone, 385
Azolla, 301
Cycadofilicales, 311
Fritillaria, 390
Isoetes, 244
Marsilea, 295
Salix, 384
Salvinia, 302
Selaginella, 233, 235
- Megaspore*, 233
Anemone, 385
Azolla, 301
Ginkgo, 337
Isoetes, 244
Marsilea, 298
Pinus, 348
Salvinia, 302
Selaginella, 233, 235
- Megasporocarp*, 300
Azolla, 301
Salvinia, 302
- Megasporophyll*, 233
Cycadales, 325
Isoetes, 244
Selaginella, 233
- Merismopedia*, 9
- Mesarch*, 210
- Metachlamydeae*, 316, 404
- Metaxylem*, 210
- Micrasterias*, 50
- Micropyle*, 312, 323, 326, 386
- Microsphaera*, 127, 128
- Microsporangium*, 233
 Angiospermae, 378
Azolla, 301
Bennettitales, 317
Cycadofilicales, 311, 319
Ginkgoales, 336
Gnetales, 355
Iochroma, 380
Isoetes, 244
Lilium, 379
Marsilea, 295
Pinus, 348
Salvinia, 302
Selaginella, 233-235
Zamia, 324
- Microspore*, 233
Azolla, 303
Dioon, 328
Isoetes, 244
Marsilea, 297
Pinus, 348
Selaginella, 233, 235
- Microsporocarp*, 300
Azolla, 301

Microsporophyll, 233

Cycadeoidea, 317

Cycas, 323

Ginkgo, 336

Isoetes, 244

Pinus, 345

Selaginella, 233

Mildews, downy, 114

 other, 116

 powdery, 127

Mnium, 199

 antheridium, 201

 archegonium, 202

 capsule, 204

Monoblepharidales, 111

Monoblepharis, 111

Monocotyledoneac, 316, 406

Monosiphonous, 67

Monospore, 89

Morchella, 133

Mosses, 192

 plan of, 207

Mougeotia, 50, 51

Mucorales, 117

 summary, 120

Multicellular bodies, development of, 95

Musci, orders, 192

 summary, 205

Mushroom, 149

Mycelium, 108

Mycophyta, 2, 3, 7

Myrtales, 403

Myxamoeba, 106

Myxobacteria, 103

Myxomycetes, plant body, 104

 reproduction, 105

 summary, 106, 156

N

Navicula, 22

Nectria, 134, 135

Nemalion, 87, 88

Nereocystis, 79

Neuropteris, 239, 312

Neurospora, 139

Nidulariaceae, 152

Nitrifying bacteria, 103

Nitrobacter, 103

Nitrogen-fixing bacteria, 102

Nitrosomonas, 113

Nostoc, 9

Notothylas, 187, 189, 190

Nucellus, 312, 313, 323, 326, 347, 383

Nucleus, fusion, 384, 386

 generative, 348, 391

 male, 350, 391, 392

Nucleus, polar, 384, 390
 primary endosperm, 392
 tube, 328, 348, 350, 391

O

Oedogoniales, 45

 summary, 48

Oedogonium, 45, 46–48

Oenothera, embryo sac, 387, 388

Olpidium, 109

Ontogeny, 1, 414

Oogonium, *Albugo*, 115

Chara, 65, 66

Coleochaete, 44

Cutleria, 71

Dictyota, 73

Fucus, 82, 83

Laminaria, 77

Monoblepharis, 111

Ocdogonium, 47, 48

Saprolegnia, 113

Sphaeroplea, 55

Vaucheria, 58, 59

Zonaria, 75

Ooplasm, 115, 116

Operculum, *Bryales*, 203, 204

Ophioglossales, 261

 embryo, 269

 gametophyte, 267

 sporangium, 265

 sporophyte, 262

 summary, 270

 vascular anatomy, 263

Ophioglossum, 262

 antheridium, 268, 269

 archegonium, 269

 gametophyte, 268

 root, 264

 sporangium, 267

Opuntiales, 403

Orchidales, 408

Oscillatoria, 9

Osmunda, sporangium, 287

 stele, 282

Osmundaceae, 276

Ovary, 362, 373, 381

 inferior, 376

 superior, 376

Ovule, 309, 312, 383

 anatropous, 383

Anemone, 385, 386

 campylotropous, 383

Cycadeoidea, 318

 development, 383

Dioon, 329

 direction, 363

- Ovule, *Ephedra*, 359
Fritillaria, 390
Lyginopteris, 314
orthotropous, 383
Pinus, 345, 346
Welwitschia, 358
Zamia, 326
Ovuliferous scale, 345, 346
- P
- Palaeostachya*, 258, 259
Pallavicinia, thallus, 179
Palmales, 407
Palmella, 26, 27, 32, 39
Pandanales, 406
Pandorina, 28, 29
Papaverales, 401
Parallel development, 413
Paramylon, 15
Paraphysis, Bryales, 200
Claviceps, 135, 136
Cutleria, 72
Fucus, 82, 83
Laminaria, 77
Nectria, 135
Physcia, 156
Plowrightia, 136, 138
Pyronema, 130
Zonaria, 76
Parasite, 100
Parictales, 403
Parthenocarpy, 398
Parthenogenesis, 114, 397
Pediastrum, 33, 34, 35
Pelargonium, pistil, 382
Pellia, antheridium, 180
archegonium, 181
capsule, 182
thallus, 179
Pellielec, 14
Penaea, embryo sac, 387, 388
Penicillium, 124, 125
Peperomia, embryo sac, 387, 388
Perianth, 373
Periblem, 364, 365, 394, 395
Pericarp, 398
Perichaetium, 200
Peridium, 151
Perigyny, 375, 376
Periplasm, 116
Perisperm, 393
Perisporiales, 127
Peristome, 203, 204
Peritheciun, 135
Claviceps, 138
Laboulbeniales, 140
- Peritheciun, *Nectria*, 135
Neurospora, 139
Plowrightia, 138
Venturia, 138
Xylaria, 139
Peronosporales, 114
summary, 117
Petal, 373
Peziza, 132
Pezizales, 129
summary, 133
Phacocystis, 16
Phiacophyceae, 66
orders, 67
summary, 85, 94
Phacothamnion, 16, 17
Phallaceae, 152
Phallus, 152
Phanerogam, 1
Phanerogamia, 1
Phellogen, 369
Phloem, 210
elements, 369
Phycocyanin, 8
Phycoerythrin, 8, 85
Phycomyctes, orders, 108
summary, 157
Phycophyta, 2, 3, 7
Phyllactinia, 127
Phylloglossum, 219, 220, 226
Phylogeny, 1, 144
Physcia, 155, 156
Phytophthora, 116
Pileus, 148, 149
Pilobolus, 120
Pilularia, 293, 294
Pinna, 278
Pinnularia, 21
Pinnule, 278
Pinus, archegonium, 347
embryo, 351, 353
female gametophyte, 347
fertilization, 350
leaf, 343
male gametophyte, 348
ovulate strobilus, 341
ovule, 346, 347
staminate strobilus, 345
stem, 344
Piperales, 399
Pistil, 373, 382
Placenta, 383
Plant life of the past, 4
Plantaginales, 405
Plasmodiophora, 112
Plasmodiophorales, 112
Plasmodium, 104, 254, 267, 287, 295, 381

- Plasmopara*, 116, 117
Plectascales, 124
Plectostele, 220
Plerome, 364, 365, 394, 395
Pleurosigma, 22
Plowrightia, 136, 137, 138
Plumbagella, embryo sac, 388, 389
Plumbago, embryo sac, 388, 389
Plumule, 327, 353
Podocarpaceac, 340
Podosphaera, 127, 128
Pollen, grain, *Dioon*, 328, 329
 Ephedra, 360
 Lilium, 371, 391
 Pinus, 348
 sac, 379
tube, Angiospermac, 391
 Dioon, 328, 329
 Ephedra, 360
 Pinus, 348, 349
Pollinium, 381
Polyembryony, 352
Polygonales, 400
Polypodiaceac, 278
Polypodium, leaflet, 285
Polyporaceae, 147
Polysiphonia, 89, 91, 92
Polysiphonous, definition, 67
Polytrichum, 199, 203
Porella, 184, 186
Porphyra, 86
Porphyridium, 87
Postelsia, 80
Primulales, 404
Procarp, *Batrachospermum*, 90
 Nemalivon, 88
 Polysiphonia, 92
Proembryo, 326
 Capsella, 395
 Ephedra, 361
 Ginkgo, 339
 Pinus, 361
 Sagittaria, 397
 Zamia, 330
Propagule, 69
Prothallium (*see* Gametophyte)
Protoascales, 122
Protococcus, 40, 41
Protodiseales, 123
Protонема, 161
 moss, 199
Protosiphon, 36, 37
Protosteles, 211, 280
Protoxylem, 210
Pseudopodium, 196, 198
Psilotyphales, 212, 213
Psilophytinae, orders, 212
 summary, 303
Psilophyton, 212
Psilosida, 3, 4, 212
Psilotales, 214
 embryo, 217
 gametophyte, 217
 sporangium, 216
 sporophyte, 215
 summary, 217
 vascular anatomy, 215
Psilotum, 214–216, 217
Pteridium, leaflet, 285
 rhizome, 283
 vascular bundle, 284
Pteridophyta, classes, 209, 260
 comparison, 303
 evolutionary tendencies, 416
 gametophyte, 306
 general conclusions, 304
 interrelationships, 307
 sporophyte, 304
 strobilus, 305
 vascular system, 210
Pteris, root tip, 279
Pteropsida, 4, 260
Puccinia, 142–144
Puffball, 152
Pylaiella, 68
Pyrenoid, 26
Pyrenomycetales, 134
 summary, 139
Pyronema, 129, 130, 131
Pythium, 116
- R
- Radicle, 327, 353
Ranales, 401
Ranunculus, floral development, 377
Raphe, 23
Reboulia, 165, 166
 air chambers, 162
 air pore, 162
 apical cell, 162
 embryo, 169
 thallus, 162
Recapitulation, 414
Regnellidium, 293
Reproduction, asexual, 417
 in algae, 96
 in fungi, 158
 sexual, 418
 in algae, 96
 in fungi, 158
Reservoir, 15
Rhamnales, 403

- Rhizobium*, 102
Rhizoid, 163
Rhizophore, 231, 240, 243
Rhizopus, 117, 118, 119
Rhodophyceae, orders, 85
 summary, 93, 94
Rhynia, 213
Riccardia, capsule, 182
Riccia, gametophyte, 162
 sporophyte, 170
Riella, 173, 174
Rivularia, 12
Root, mature, 365, 366
 tip, *Allium*, 365
 Pteris, 279
 trace, 212, 222
Rootcap, 365
Rosales, 402
Rubiaceae, 406
Rusts, 142
 autoecious, 146
 heteroecious and other, 145
- S
- Saccharomyces*, 122
Sagittaria, development of embryo, 396, 397
Salicaleae, 399
Salix, megasporangium, 384
 root, 367
Salvinia, 299
 sporangia, 302
 sporocarp, 302
Salviniaceae, 299
 embryo, 302
 gametophytes, 301
 sporocarps, 300
 sporophyte, 299
Santalales, 400
Sapindales, 402
Saprolegnia, 113
Saprolegniales, 113
 summary, 114
Saprophyte, 100
Sarcina, 101
Sargassum, 84
Sarraceniales, 402
Scenedesmus, 33, 34
Schizaceae, 276
Schizomycetes, 100
 activities, 102
 structure and reproduction, 100
 summary, 103, 156
Schizosaccharomyces, 123
Scitaminales, 408
Sclerodermaceae, 152
Sclerotinia, 132
Sclerotium, 135
 Claviceps, 136
 Myxomycetes, 105
 Xylaria, 139
Scytanema, 12, 13
Sedum, carpels, 382
Seed, 353, 409
Seedling, 398
Selaginella, 230
 embryo, 238
 female gametophyte, 237
 male gametophyte, 236
 megasporangium, 233, 235
 microsporangium, 233–235
 stele, 232
 stem tip, 231
Selaginellales, 230
 embryo, 237
 gametophytes, 234
 sporangia, 231
 sporophyte, 231
 summary, 237
 vascular anatomy, 231
Sepal, 373
Seta, 161, 169, 172
Sex, determination, 175
evolution, 417
organs, Andreacales, 197
 Anthocerotales, 187
 Aspergillus, 126
 Bryales, 200
 Claviceps, 135
 evolution, 149
 Jungermanniales, acrogynae, 184
 anaeogynae, 179
 Laboulbeniales, 140
 Lichenes, 155
 Marchantiales, 164
 Perisporiales, 128
 Plectascales, 127
 Pyronema, 130
 Sphacrocarpales, 174
 Sphaerotheca, 129
 Sphagnales, 193
 Venturia, 137
origin, 418
significance, 422
Sexuality, further expressions of, 421
Sieve tube, 210, 369
Sigillaria, 239
Silphium, endosperm, 393
Siphonales, 57
 summary, 61
Siphonocladiales, 54
 summary, 57
Siphonostele, amphiphloic, 211, 281
 ectophloic, 211, 282

- Slime fungi, other, 106
 Slime molds, 104
Solanum, pistil, 382
 Soredium, 154
 Sorus, *Angiopteris*, 272
 Filicales, 284, 285
 graduate, 286
 Marsilea, 295, 296
 mixed, 287
 simple, 285
 Specialization, 413
 Sperm, *Chara*, 65
 Coleochaete, 43
 Cutleria, 71
 Dictyota, 74
 Dioon, 329
 Dryopteris, 290
 Equisetum, 256
 Eudorina, 30
 Fucus, 83
 Isoetes, 246
 Laminaria, 77
 Lycopodium, 288
 Marchantia, 165
 Marsilea, 297
 Monoblepharis, 111
 Oedogonium, 47
 Ophioglossum, 269
 Psilotum, 216
 Selaginella, 236
 Sphaeroplea, 56
 Vaucheria, 58
 Volvox, 31
 Zamia, 328
 Spermatium, *Batrachospermum*, 90
 Laboulbeniales, 140
 Lichenes, 155
Nemalion, 88
Polysiphonia, 91
Porphyra, 86
Puccinia, 144
 Spermatophyta, classes, 309
 comparison, 408
 evolutionary tendencies, 417
 flower, 410
 general conclusions, 409
 interrelationships, 410
 seed, 409
Spermogonium, 143, 144, 155
Sphaelaria, 69, 70
 Sphaelariales, summary, 69
Sphaerella, 28
 Sphaeriales, 140
 Sphaerocarpales, gametophyte, 173
 sex determination, 175
 sex organs, 174
 sporophyte, 174
 Sphaerocarpales, summary, 176
 Sphaerocarpus, antheridium, 175
 archegonium, 176
 sporophyte, 177
 Sphaeroplea, 56
 Sphaerotheca, 127-129
 Sphagnales, 192
 gametophyte, 192
 sex organs, 193
 sporophyte, 194
 summary, 195
Sphagnum, antheridium, 193
 archegonium, 195
 embryo, 196
 gametophyte, 193, 194
 leaf, 194
 sporophyte, 194
 Sphenophyllales, 248
Sphenophyllum, 249, 250, 257
 Sphenopsida, 4, 217
Spirillum, 101
Spirogyra, 51-53
 Sporangiophere, *Albugo*, 115
 Calamitales, 258
 Empusa, 121
 Equisetum, 254
 Hyeniales, 248
 Plasmopara, 117
 Psilotales, 216
 Rhzopus, 118
 Sphenophyllales, 249
 Sporangium, *Albugo*, 115
 Angiopteris, 273
 Azolla, 301
 Chytridium, 109
 Cladophora, 55
 Cutleria, 71
 Cyrtomium, 288
 Dictyota, 74
 Ectocarpus, 67
 Empusa, 121
 Equisetales, 253
 Equisetum, 254, 255
 Filicales, 286
 Hyeniales, 248
 Isoetales, 243
 Laminaria, 77
 Leptosporangiatae ferns, 287
 Lycopodiales, 223-
 Lycopodium, 225
 Marattiaceae, 270
 Marsilea, 295
 Monoblepharis, 111
 Olpidium, 109
 Ophioglossales, 265
 Ophioglossum, 267
 Plasmopara, 117

- Sporangium, Polypodiaceae, 288**
Psilotales, 213
Psilotum, 214
Pylaiella, 68
Rhizopus, 118, 119
Salvinia, 302
Saprolegnia, 113
Selaginellales, 231
Sphenophyllales, 248, 249
Synchytrium, 110
Tmesipteris, 214
Vaucheria, 58
Zonaria, 75
- Spore, mature, Dictyota, 74**
Equisetum, 264
Marchantia, 172
Polysiphonia, 91
Riccia, 170
Zonaria, 75
- mother cell, 169**
Anemone, 385
Anthoceros, 191
Cyrtomium, 288
Fossombronia, 182
Fritillaria, 390
Isoetes, 245
Lycopodium, 225
Marchantia, 172
Ophioglossum, 267
Pinus, 346
Porella, 186
Riccia, 170
Selaginella, 235
Sphaerocarpus, 177
- tetrad, 169**
Anemone, 385
Anthoceros, 191
Ginkgo, 337
Marchantia, 172
Riccia, 170
- Sporocarp, 294**
Azolla, 301
Marsilea, 295, 296
Marsileaceae, 294
Salviniaceae, 300
- Sporophyll, 223**
Lycopodium, 223
Sphenophyllum, 250
Tmesipteris, 214
- Sporophyte, 42**
Andreaea, 198
Andreaeales, 197
Angiospermae, 363
Anthoceros, 187, 191
Anthocerotales, 189
Bennettitales, 315
- Sporophyte, Bryales, 201**
Bryophyta, 206
Coniferales, 312
Cordaitales, 330
Cutleria, 71
Cycadales, 319
Cycadofilicales, 311
Equisetales, 250
Filicales, 276
Funaria, 200
Ginkgoales, 334
Gnetales, 354
Gymnospermae, 309
independent, 304
Isoetales, 241
Jungermanniales, acrogynae, 185
anacrogynae, 180
Lycopodiales, 219
Marattiales, 270
Marchantia, 172
Marchantiaceae, 168
Marsileaceae, 293
Ophioglossales, 262
Porella, 184, 186
Psilotales, 215
Pteridophyta, 304
Riccia, 170
Salviniaceae, 299
Selaginellales, 231
Spermatophyta, 309
Sphaerocarpales, 174
Sphaerocarpus, 177
Sphagnales, 192
Sphagnum, 194
- Sporophytic budding, 398**
- Stamen, 309, 373, 378**
- Staurastrum, 50**
- Stele, 211**
Actaea, 366
Botrychium, 264, 265
Dennstaedtia, 281
Equisetum, 253
Ginkgo, 335
Gleichenia, 280
Isoetes, 243
Lepidodendron, 240
Lycopodium, 221, 222
Lyggiopteris, 313
Magnolia, 370
Marattia, 271
Marsilea, 294
Ophioglossum, 264
Osmunda, 282
Pinus, 344
Psilotum, 215
Pteridium, 283
Selaginella, 232

- Stele, types, 211, 279, 370
Zamia, 321
Zea, 371
 Stem tip, 367
Coleus, 368
Equisetum, 252
Isoetes, 242
Lycopodium, 219
Selaginella, 231
Stemonitis, 105, 106
 Sterigma, 143, 149
Stigeoclonium, 39
 Stigma, 382
Stigonema, 13
 Stoneworts, 63
Streptococcus, 101
 Strobilus, 224
 Bennettitales, 315
 Calamitales, 258, 259
Equisetum, 254, 256
 Ilyeniales, 248
Lycopodium, 224
 ovulate, Coniferales, 345
 Cordaianthus, 333
 Cordaiales, 332
 Cycadales, 323
Cycas, 322
Dioon, 319
Ephedra, 355
Ginkgo, 337
Ginkgoales, 337
Gnetales, 356
Gnetum, 357
Pinus, 341
Welwitschia, 358
Zamia, 322
Phylloglossum, 220
 Pteridophyta, 305
Selaginella, 233
 Sphenophyllales, 249
 staminate, Coniferales, 345
 Cordaianthus, 333
 Cordaiales, 331
 Cycadales, 321
Ephedra, 355
Ginkgo, 336
Ginkgoales, 336
Gnetales, 355
Gnetum, 357
Pinus, 345
Welwitschia, 358
Zamia, 322
 Stroma, 134
Claviceps, 135, 136
Nectria, 134, 136
Plowrightia, 136, 138
Xylaria, 139
 Style, 373, 382
Surrella, 22
 cell division, 24
 Suspensor, 229
Capsella, 395
Ginkgo, 339
Lycopodium, 230
Pinus, 351
Sagittaria, 397
Selaginella, 238
Zamia, 330
Symphyogyna, thallus, 179
 Synangium, 273
Danaea, 272
Marattia, 272
Synchytrium, 109, 110
 Synergid, 385, 386, 390
Synura, 16, 17
Syringa, leaf, 363
- T
- Tapetum, 226
Angiopteris, 273
 Bryales, 203
Cyrtomium, 268
Equisetum, 254, 255
Iochroma, 380
Lilium, 379
Lycopodium, 225, 226
Marsilea, 295
Salvinia, 302
Selaginella, 232, 234
Sphagnum, 196
Zamia, 324
Taphrina, 123, 124
 Taxaceae, 341
 Taxodiaceae, 340
 Teliospore, 143
 Telium, 143
 Tetraspore, 91
 Thallophyta, 2, 7
 classification, 2, 3
 Thallus, 7
 Thelephoraceae, 147
Tmesipteris, 214, 216, 217, 218
Tolyphothrix, 12, 13
 Trabecula, 231, 241
 Trace, 212
 branch, 212, 222
 Tracheid, 210
 Tracheophyta, 2-4
Tremella, 146
 Tremellales, 146
Tribonema, 19, 20
Triceratium, 22, 23

Trichogyne, 87

Batrachospermum, 90

Nemalion, 88

Polysiphonia, 92

Pyronema, 130

Venturia, 137

Trillium, floral structure, 373

Tuber, 134

Tuberales, 134

Tubiflorales, 405

Tunica, 367

U

Ulothrix, 38

Ulotrichales, 38

summary, 44

Ulva, 41, 42

Umbellales, 404

Uncinula, 127

Uredinales, 142

Uredinium, 142, 143

Uredospore, 142, 143

Uroglena, 16

Urticales, 400

Ustilaginales, 140

Ustilago, 141

V

Valvular canal, 252, 253

Vascular anatomy, Angiospermae, 363–372

Coniferales, 344

Cycadales, 320

Equisetales, 252

Filicales, 276

Ginkgoales, 335

Gnetales, 354

Isoetales, 242

Lycoptiales, 220

Marattiales, 270

Ophioglossales, 263

Psilotales, 215

Selaginellales, 231

Vascular bundle, *Acorus*, 372

Pteridium, 284

Vascular system, development of xylem, 210

traces and gaps, 212

types of steles, 211

Vascular tissues, arrangement, 211

Vaucheria, 57, 58, 59

Vegetative body, algae, 95

fungi, 157

Vegetative organs (Angiospermae), 363

leaf structure, 363

Vegetative organs (Angiospermae), ma-

ture root, 364, 366

older stem, 368, 370

root tip, 364, 365

stellar types, 370

stem tip, 367, 368

Velum, *Agaricus*, 148, 149

Isoetes, 243, 244

Venturia, 137, 138

Vernation, circinate, 278, 320

Vessel, 210, 369

Volvina, 119

Volvocales, 26

summary, 32

Volvox, 30, 31

W

Welwitschia, 354, 356

ovule, 358

strobili, 358

Wheat rust, 142

Woodwardia, leaflet, 285

X

Xanthophyceae, 18

summary, 94

Xanthophyll, 19

Xylaria, 139

Xylem, development, 210

elements, 369

primary, 211

secondary, 211

Z

Zamia, embryo, 330

female cone, 322

leaflets, 320

male cones, 322

megasporophyll, 325

microsporangium, 324

ovule, 326

sperm, 328

stem, 321

Zanardinia, 72

Zea, stem, 371

Zonal development, 375

Zonaria, 75

Zoospore, 19

Chlamydomonas, 27

Chlorococcum, 33

Chytridium, 108

Cladophora, 55

Coleochaete, 43

Cutteria, 71

Zoospore, *Ectocarpus*, 67
 Hydrodictyon, 36
Laminaria, 78
Monoblepharis, 111
Oedogonium, 47
Olpidium, 109
Pediastrum, 35
Plasmiodiphora, 112
Protosiphon, 37
Saprolegnia, 113
Synchytrium, 111
Ulothrix, 38
Ulva, 41
Vaucheria, 58
Zygnema, 53, 54

Zygote, *Chlamydomonas*, 27
 Closterium, 49
 Cocconeis, 25
 Coleochaete, 43, 44
 Hydrodictyon, 36
 Monoblepharis, 111
 Mougeotia, 50
 Oedogonium, 47
 Pandorina, 29
 Protosiphon, 37
 Rhizopus, 118
 Spirogyra, 51–53
 Ulothrix, 38
 Volvox, 31
Zygnema, 54
Zymase, 123