



Reg. No. :

Name :

III Semester M.Sc. Degree (C.B.S.S. – Reg./Supple./Imp.)
Examination, October 2023
(2020 Admission Onwards)
MATHEMATICS
MAT3C14 : Advanced Real Analysis

Time : 3 Hours

Max. Marks : 80

PART – A

Answer four questions from this Part. Each question carries 4 marks.

- Distinguish between pointwise boundedness and uniform boundedness of sequence of functions on a set E .
- Define the limit function of sequence $\{f_n\}$ of functions and show that for $m, n = 1, 2, 3, \dots$, if $S_{m,n} = \frac{m}{m+n}$, then $\lim_{n \rightarrow \infty} \lim_{m \rightarrow \infty} S_{m,n} \neq \lim_{m \rightarrow \infty} \lim_{n \rightarrow \infty} S_{m,n}$.
- Define beta function.
- Show that the functional equation $\Gamma(x+1) = x\Gamma(x)$ holds if $0 < x < \infty$.
- Prove that a linear operator A on a finite-dimensional vector space X is one-to-one if and only if the range of A is all of X .
- State the implicit function theorem. (4x4=16)

PART – B

Answer 4 questions from this Part without omitting any Unit. Each question carries 16 marks.

Unit – I

- State and prove the Stone-Weierstrass theorem.
- Show that there exists a real continuous function on the real line which is nowhere differentiable.
 - If $\{f_n\}$ is a pointwise bounded sequence of complex functions on a countable set E , then show that the $\{f_n\}$ has a subsequence $\{f_{n_k}\}$ such that $\{f_{n_k}(x)\}$ converges for every $x \in E$.

P.T.O.

K23P 1411



- If $\{f_n\}$ and $\{g_n\}$ converge uniformly on a set E , then prove that $\{f_n + g_n\}$ converges uniformly on E .
 - If $\{f_n\}$ and $\{g_n\}$ are sequences of bounded functions, then prove that $\{f_n \cdot g_n\}$ converges uniformly on E .
 - Suppose $\{f_n\}$ is a sequence of functions defined on E , and suppose $|f_n(x)| \leq M_n$ for $x \in E$ and $n = 1, 2, 3, \dots$, then prove that $\sum f_n$ converges uniformly on E if $\sum M_n$ converges.

Unit – II

- Suppose that the series $\sum_{n=0}^{\infty} c_n x^n$ converges for $|x| < R$, and if $f(x) = \sum_{n=0}^{\infty} c_n x^n$, then prove that the function f is continuous and differentiable in $(-R, R)$, and $f'(x) = \sum_{n=1}^{\infty} n c_n x^{n-1}$ where $|x| < R$.
 - State and prove Taylor's theorem.
- State and prove Parseval's theorem.
- If $x > 0$ and $y > 0$, then show that $\int_0^1 t^{x-1} (1-t)^{y-1} dt = \frac{\Gamma(x)\Gamma(y)}{\Gamma(x+y)}$.
 - If f is continuous (with period 2π) and if $\epsilon > 0$, then prove that there is a trigonometric polynomial P such that $|P(x) - f(x)| < \epsilon$ for all real x .

Unit – III

- Define dimension of a vector space.
 - Let r be a positive integer, if a vector space is spanned by a set of r vectors, then prove that $\dim X \leq r$.
 - Show that $\dim \mathbb{R}^n = n$.
- Define a continuously differentiable mapping.
 - Suppose f maps an open set $E \subset \mathbb{R}^n$ into \mathbb{R}^m . Then prove that $f \in \mathcal{C}^1(E)$ if and only if the partial derivatives $D_j f_i$ exist and are continuous on E for $1 \leq i \leq m, 1 \leq j \leq n$.
- State and prove inverse function theorem. (4x16=64)